




MST
MAX SPEED TECHNOLOGY

XXX-D VIP HT

1 / 10 DRIFT CHASSIS

EXPLODED MANUAL


ON ROAD USE ONLY
FULL BALL BEARINGS

WHEELBASE : STANDARD 257mm (adjustable)
WIDTH : STANDARD 190mm (adjustable)
GEAR RATIO : 1.89 (34T/18T)
CASTER : 8, 12, 16 degrees variableness
CAMBER : 0 to -12 degrees


www.rc-mst.com

※ SPECIFICATION ARE SUBJECT TO CHANGE WITHOUT NOTICE


Color 顏色	Remark 標示
Red 紅	R
Silver 銀	S




EXPLODED
VIEW



Coil spring 29mm ×2
(super soft) (white)
避震彈簧 29mm (超軟) (白)




Soft coil spring 29mm ×2
(medium) (green)
軟避震彈簧 29mm (中) (綠)




Alum. Damper cylinder ×4
鋁合金避震筒身




Damper retainer ×4
避震器彈簧座



Spring retainer ×4
避震器調整環



Cylinder cap ×4
避震器上蓋




Rod guide cap ×4
避震器下蓋



Oil seal ×4
避震器氣室




Rod guide ×4
避震器下蓋墊片



Piston rod ×4
避震軸心



Damper cap ×4
避震器上球座




Damper adjuster 0 ×4
避震器拉桿



Damper adjuster 2.5 ×4
避震器拉桿



Damper adjuster 5.0 ×4
避震器拉桿



11.5×1.5 O-ring ×4
O環



Damper O-ring P3 ×4
避震器O環



6.5×2 sponge ×4
泡棉






E-clip ×10
E形扣



Piston ×4
避震活塞


STEP 1 Damper assembly

避震器組裝




Pull down piston and pour oil into cylinder.
Remove air bubbles by slowly moving
piston up and down.

拉下活塞並填入砂油，緩慢上下移動活塞將氣泡移除。




Pull down piston rod 4mm, attach oil seal and
absorb oil overflow with tissue paper.

將軸心下拉4mm後，蓋上氣室並以面紙拭去溢出的砂油。




shock spring 1
Front -White 前面裝配白色
Rear -Green 後面裝配綠色






damper retainer 2



X2
Make 2
FRONT




X2
Make 2
REAR




STEP 1 Attaching battery mount

安裝電池座



XXX Carbon battery strap ×1
XXX 碳纖維電池壓板



XXX Carbon battery holder ×2
XXX 碳纖維電池座




M3 lock nut ×2
防鬆螺帽




3×5.5×7.0 Alum. spacer ×4
鋁合金墊片




3×6×0.5 spacer ×2
墊片




3×8×0.5 spacer ×2
墊片



Alum. battery strap post ×2
鋁合金壓板支柱



M3×6 screw ×2
圓頭螺絲



M3×16 screw ×4
沉頭螺絲



R-clip 6.0 ×2
R銷 6.0

The assembly and conservation method may be different by specification of battery.

電池的安裝方式會因廠牌規格而有些微差異，電池的使用方式與保存方式，也會因電池的種類而有所不同。

Recommended battery measurement
L138.5×W47×H25.4 mm (not exceed)

建議安裝 (長138.5×寬47×高25.4mm) 尺寸以內的電池!




20×80 sponge
泡棉




X2
Make 2

20×40 sponge
泡棉




STEP 2 Attaching battery

安裝電池




STEP 3 Attaching motor

安裝馬達




Adjust the gear clearance for running smoothly.
調整齒輪間隙至運作平順。




CS-R Tire ×4
CS-R 甩尾胎



M4 flange nut ×4
M4 凸緣螺帽




rear bumper ×1
後防撞板



M3×8 screw ×2
沉頭螺絲

STEP 2 Attaching front wheels


安裝前輪



※ Please make the object as the standard.
請以實物為主。


STEP 1 Attaching receiver & ESC

安裝接收機 & 電子變速器



STEP 3 Attaching rear wheels











安裝後輪










※ Please consider the environment and power for tire choice.
輪胎的選擇，會因場地、動力而有所不同。

More details, please refer to MST website.
更多詳細內容，請上官網。
[www.rc-mst.com]


PARTS

	M2×4 Round head screw ×6 六角半圓頭螺絲 110004		M1.6×4 Cap screw ×4 六角有頭螺絲 110039
	M3×5 Round head screw ×4 六角半圓頭螺絲 110049		M1.6×6 Cap screw ×8 六角有頭螺絲 110066
	M2×6 Round head screw ×10 六角半圓頭螺絲 110044		M3×5 Flat head screw ×3 十字扁頭螺絲 110051
	M2.5×6 Round head screw ×4 六角半圓頭螺絲 110003		M2.5×2.5 Set screw ×2 六角止付螺絲 110067
	M3×6 Round head screw ×17 六角半圓頭螺絲 110001		M3×3 Set screw ×4 六角止付螺絲 110035
	M2×8 Round head screw ×2 六角半圓頭螺絲 110063		M3×8 Set screw ×5 六角止付螺絲 110054
	M2×8 Round head screw (partial thread) ×4 六角半圓頭螺絲 (半牙) 110045		2×9.8 Shaft ×11 插銷 110017
	M3×8 Round head screw ×24 六角半圓頭螺絲 110002		2×9.8 Shaft ×3 插銷 (剖溝) 110046
	M2.5×10 Round head screw ×4 六角圓頭螺絲 110064		2.5×20 Arm shaft ×2 擺臂插銷 310046
	M3×10 Round head screw ×1 六角半圓頭螺絲 110026		2.0×22 Arm shaft ×2 擺臂插銷 310047
	M3×12 Round head screw ×6 六角半圓頭螺絲 110029		2.5×46 Arm shaft ×4 擺臂插銷 310048
	2.6×10 Tapping round head screw ×1 自攻六角半圓頭螺絲 110025		M4 Flange nut ×4 凸緣螺帽 820074
	M3×6 Countersunk screw ×12 六角沉頭螺絲 110024		M3 Lock nut ×2 防鬆螺帽 110021
	M3×8 Countersunk screw ×15 六角沉頭螺絲 110005		R-clip 5.0 ×4 R銷 820075BK
	M3×16 Countersunk screw ×4 六角沉頭螺絲 110073		R-clip 6.0 ×2 R銷 110016


	3×5×0.1 Spacer ×2 墊片 820012		4.8 Ball connector nut S ×3 球頭螺帽S 210343
	3×6×0.5 Spacer ×10 墊片 110047		4.8 Ball connector nut ×2 球頭螺帽 210161
	5×7×0.1 Spacer ×4 墊片 820018		4.8 Ball connector nut L ×5 球頭螺帽L 210344
	5×7×0.3 Spacer ×1 墊片 820020		5.8×4 Ball connector ×4 球頭螺絲 210159
	3×8×0.5 Spacer ×3 墊片 110048		4.8×4.5 Ball connector ×8 內六角公球頭 310001
	8×10×0.1 Spacer ×2 墊片 820021		Rail post ×2 滑軌支柱 310029
	10×12×0.1 Spacer ×4 墊片 820022		2.5×5 Suspension balls ×8 插銷球頭 210321
	10×12×0.3 Spacer ×2 墊片 820024		Cross joint ×4 連接軸 820030
	3×3.5×20 Steel turnbuckle ×2 鋼製可調螺桿 210326		
	3×25 Alum. reinforced turnbuckle ×3 鋁合金強化可調拉桿 (810008)		
	3×36 Alum. reinforced turnbuckle ×2 鋁合金強化可調拉桿 (810012)		
	Steel CVD great angle universal shaft 44 ×4 鋼製大角度CVD傳動軸 44 820005		Wheel axle ×4 萬向接杯 310006

	Cylinder cap ×4 避震器上蓋 (310003)		Damper cap ×4 避震器上球座 820055
	Spring retainer ×4 避震器調整環 (310004)		Damper retainer ×4 避震器彈簧座 820055
	Rod guide cap ×4 避震器下蓋 (310005)		Damper adjuster 0 ×4 避震器拉桿 820055
	Piston rod ×4 避震軸心 310008		Damper adjuster 2.5 ×4 避震器拉桿 820055
	Alum. damper cylinder ×4 鋁合金避震筒身 210151		Damper adjuster 5.0 ×4 避震器拉桿 820055
	2.0 E-clip ×10 E扣 110013		O-ring P3 (black) ×1 阻尼器O環 P3 (藍) 130023
	6.5 Sponge ×6 泡棉 130021		Damper O-ring P3 (blue) ×4 阻尼器O環 P3 (藍) 130028
	Rod guide ×4 避震器下蓋墊片 210235		11.5×1.5 O-ring ×4 O環 130002
	Piston ×4 避震器活塞 210235		Coil spring 29mm (super soft) (white) ×2 避震彈簧 29mm (超軟) (白) 210273-4
	Oil seal ×4 避震氣室 130004		Soft coil spring 29mm (medium) (green) ×2 軟避震彈簧 29mm (中) (綠) 210351-2


PARTS




Wheel hub spacer 1.0
輪座墊片 1.0
(820049)




Alum. antenna pipe mount
鋁合金天線管座
820066BK




Alum. propeller shaft joint
鋁合金中軸接杯
210238




XXX Alum. upper deck support
鋁合金二樓板連結座
(210227)




XXX Alum. steering rail
鋁合金大轉向滑軌
210232




Alum. hex. wheel hubs 4mm
鋁合金六角輪座 4mm
(820044)




XXX Alum. one way unit (RM)
鋁合金前單組 (後置)
(210221)




XXX-R Alum. gear box cover set
鋁合金齒箱上蓋組
(210295)




Alum. integrated shaft joint S
一體式接杯S
210396




XXX Fixed battery holder post set
固定式電池座支柱組
210393BK




XXX Alum. motor mount set
鋁合金馬達座組
(210229)



XXX-R PRO Alum. gear box ×2
鋁合金傘齒箱
(210257)




XXX Alum. connector
鋁合金連結架
210228




Alum. suspension mount (-0.5) ×3
鋁合金擺臂座
(820036)




Alum. suspension mount (+2.0) ×1
鋁合金擺臂座
(820038)



XXX Alum. short servo mount set
鋁合金短伺服機座組
(820076)



XXX Alum. spur gear holder
鋁合金大齒盤座
(210230)




XXX Alum. gear box cover set (HT-F)
鋁合金齒箱上蓋組 (HT-F)
(210323)




3×5.5×1.0 Alum. spacer ×1
鋁墊片
(820026)




3×5.5×2.0 Alum. spacer ×2
鋁墊片
820027S



Bevel gear - long arbor
傘齒長軸
310030




XXX Alum. spool unit
鋁合金直軸組
(210223)




XXX Alum. light weight propeller shaft
鋁合金輕量化中傳軸
(210399)

PARTS




XXX Carbon lower deck (HT) 2.5
碳纖維底盤 (HT) 2.5
210392




XXX Carbon spool plate (A)
碳纖維直軸壓板 (A)
210289




Carbon bumper support L 2.5
碳纖維泡綿壓板 2.5 L
210391




XXX Carbon upper deck 2.5
碳纖維二樓板 2.5
210215




XXX Carbon rear damper stay (widen)
碳纖維後避震架 (加寬)
210261




XXX carbon battery strap 2.0
碳纖維電池壓板 2.0
210394



XXX Carbon wide front damper stay
碳纖維寬形前避震架
210380



5.5 & 7.0 Alum. wrench
鋁合金套筒工具
(700003)




1.5 & 2.0 & 2.5 L Wrench set
L 板手組
130035



0.05" L Wrench
L 板手
110067



Alum. turnbuckle wrench 4mm
鋁合金拉桿扳手 4mm
(210272)




XXX Carbon battery holder set
碳纖維電池座組
210216




5×10 Ball bearing ×3
培林
120002



5×11 Ball bearing ×4
培林
120011



8×14 Ball bearing ×2
培林
120007




10×15 Ball bearing ×8
培林
120001




Double sided tape
泡棉雙面膠
130006



20×80×1 Sponge
吸震泡棉
130034



Damper oil #300
避震油
130009



Antenna pipe
天線管
130007




Black grease
黑色油膏
130008


PARTS




Swing shaft protector
馬蹄扣
210121-1




MST 64P Spur gear 100T~106T
MST 64P 大直齒 100T~106T
164100 ~ 164106




Lightweight bevel gear set 34-18
輕量化傘齒組
210069




Bevel gear set 40-16
傘齒組 40-16
210025



4.8×18 Reinforced adjuster set
強化拉桿頭組
210047




Servo horn set (23T/25T)
伺服機舵片組
210032



Servo horn set (long) (23T/25T)
伺服機舵片組-長
210033




Rail pulley spacer set
滑軌滑輪墊片組
210037




5.8 Adjuster set ×2
調整式拉桿頭組
820035




5.8 Ball end bush ×2
球頭襯套
(820054)




HT Lower arm
HT 下擺臂
210054




KPI Upright set
KPI 輪座組
210060




HT Rear lower arm (4 holes) & wheel hub ×2
HT 後下擺臂 (4孔) & 輪座
210070




HT Upper arm
HT 上擺臂
210058




HT Upper arm spacer
HT 上擺臂墊片
210061




Wide balancing bumper sponge
寬形配重防撞泡棉
130039



Wide balancing bumper
寬形配重防撞板
210378



Rear bumper
後防撞板
210379



Car body post set
車殼支柱組
210381

PARTS CODE

110001	Round head screw M3×6 (10)	110067	Set screw M2.5×2.5 (6)	210058	HT Upper arm	(210295)	XXX-R Alum. gear box cover set	310048	Arm shaft 2.5×46 (4)
110002	Round head screw M3×8 (10)	110073	Countersunk screw M3×16 (10)	210060	KPI Upright set	210321	Suspension balls 2.5×5 (8)	700003	5.5 & 7.0 Alum. wrench (red)
110003	Round head screw M2.5×6 (6)	120001	Ball bearing 10×15 (4)	210061	HT Upper arm spacer	(210323)	XXX Alum. gear box cover set (HT-F)	810008	Alum. reinforced turnbuckle 3×25 (red) (2)
110004	Round head screw M2×4 (6)	120002	Ball bearing 5×10 (4)	210069	Lightweight bevel gear set 34-18	210326	Steel turnbuckle 3×3.5×20 (2)	810012	Alum. reinforced turnbuckle 3×36 (red) (2)
110005	Countersunk screw M3×8 (10)	120007	Ball bearing 8×14 (2)	210070	HT Rear lower arm (4 holes) & wheel hub	210343	Ball connector nut S 4.8 (4)	820005	Steel CVD great angle universal shaft 44 (2)
110013	E-clip 2.0 (10)	120011	Ball bearing 5×11 (4)	210121-1	Swing shaft protector (4)	210344	Ball connector nut L 4.8 (4)	820012	Spacer 3×5×0.1 (8)
110016	R-clip 6.0 (10)	130002	O-ring 11.5×1.5 (4)	210151	Alum. damper cylinder (4)	210351-2	Soft coil spring 29mm (medium) (green) (2)	820018	Spacer 5×7×0.1 (8)
110017	Shaft 2×9.8 (10)	130004	Oil seal (4)	210159	Ball connector 5.8×4 (4)	210378	Wide balancing bumper	820020	Spacer 5×7×0.3 (8)
110021	Lock nut M3 (5)	130006	Double sided tape(5)	210161	Ball connector nut 4.8 (4)	210379	Rear bumper	820021	Spacer 8×10×0.1 (8)
110024	Countersunk screw M3×6 (10)	130007	Antenna pipe(2)	210215	XXX Carbon upper deck 2.5	210380	XXX Carbon wide front damper stay	820022	Spacer 10×12×0.1 (8)
110025	Tapping round head screw 2.6×10 (6)	130008	Black grease	210216	XXX Carbon battery holder set	210381	Car body post set	820024	Spacer 10×12×0.3 (8)
110026	Round head screw M3×10 (10)	130009	Damper oil #300	(210221)	XXX Alum. one way unit (RM)	210391	Carbon bumper support 2.5 L	(820026)	Alum. spacer 3×5.5×1.0 (5)
110029	Round head screw M3×12 (6)	130021	Sponge 6.5×2 (10)	(210223)	XXX Alum. spool unit	210392	XXX Carbon lower deck (HT) 2.5	820027S	Alum. spacer 3×5.5×2.0 (silver) (5)
110035	Set screw M3×3 (6)	130023	O-ring P3 (black) (10)	(210227)	XXX Alum. upper deck support	210393BK	XXX Fixed battery holder post set	820030	Cross joint (2)
110039	Cap screw M1.6×4 (10)	130028	Damper O-ring P3 (blue) (10)	(210228)	XXX Alum. Connector	210396	XXX Alum. integrated shaft joint S	820035	Adjuster set 5.8 (2)
110044	Round head screw M2×6 (6)	130034	Sponge 20×80×1 (4)	210229	XXX Alum. motor mount set	(210399)	XXX Alum. light weight propeller shaft	(820036)	Alum. suspension mount (-0.5)
110045	Round head screw M2×8 (partial thread) (6)	130035	L Wrench set (1.5 & 2.0 & 2.5)	210230	XXX Alum. spur gear holder	310001	Ball connector 4.8×4.5 (5)	(820038)	Alum. suspension mount (+2.0)
110046	Shaft 2×9.8 (8)	130039	Wide balancing bumper sponge	210232	XXX Alum. steering rail set	(310003)	Cylinder cap (2)	(820044)	Alum. hex. wheel hubs 4mm (4)
110047	Spacer 3×6×0.5 (8)	164100B	MST 64P Spur gear 100T~106T	210235	Piston spacer set	(310004)	Spring retainer (2)	(820049)	Wheel hub spacer 1.0 (4)
110048	Spacer 3×8×0.5 (8)	~164106BK		210238	Alum. propeller shaft joint (2)	(310005)	Rod guide cap (2)	(820054)	5.8 Ball end bush
110049	Round head screw M3×5 (10)	210025	Bevel gear set 40-16	(210257)	XXX-D PRO Alum. gear box	310006	Wheel axle (2)	820055	Reinforced damper plastic maintenance set
110051	Flat head screw M3×5 (5)	210032	Servo horn set (23T/25T)	210261	XXX Carbon rear damper stay (widen)	310008	Piston rod (4)	820066BK	Alum. antenna pipe mount (black)
110054	Set screw M3×8 (10)	210033	Servo horn set (long) (23T/25T)	(210272)	Alum. turnbuckle wrench 4mm	310029	Rail post (2)	820074	Wheel nut m4 (4)
110063	Round head screw M2×8 (6)	210037	Rail pulley spacer set	210273-4	Coil spring 29mm (super soft) (white) (2)	310030	Bevel gear - long arbor	820075BK	R-clip 5.0 (black) (10)
110064	Round head screw M2.5×10 (6)	210047	Reinforced adjuster set 4.8×18 (8)	210289	XXX Carbon spool plate (A)	310046	Arm shaft 2.5×20 (2)	(820076)	Alum. short servo mount set
110066	Cap screw M1.6×6 (10)	210054	HT Lower arm	(210293)	XXX Adjustable carbon battery strap	310047	Arm shaft 2.0×22 (2)		

OPTION PARTS CODE

210143	Alum. wheel hubs 6mm (brake disc shaped)	210353	FXX Alum. ball diff.	(210277)	XXX Vertical battery holder set	(820048)	Wheel hub spacer 0.5 (4)	(820063)	Suspension mount spacer 0.5mm (4)
210273	Coil spring set 29mm (8)	210357	XXX-HT Rear stabilizer set	(210308)	XXX Center one way unit RM	(820050)	Alum. spring retainer (4)	(820064)	HT Alum. rear lower arm set
210282	MST Diffuser	820040	MST Balancing weights 10g	(210354)	HT Alum. rear upright (2)	(820053)	Adjustable damper caps (4)	(820068)	Alum. 3 wires clamps
210288	XXX Reinforced bevel diff. assembly	820041	MST Balancing weights 30g	(820029)	KPI Alum. upright (2)	(820057)	Adjustable alum. suspension mount (-0.5--+1.0)	(820069)	Alum. 4 wires clamps
210288	XXX Reinforced bevel diff. assembly	820047	MST Balancing weights 3.5g (4)	(820043)	Alum. hex. wheel hubs 5mm (4)	(820058)	Adjustable alum. suspension mount (+1.5--+3.0)	(820073)	Alum. motor heat sink spacer 3mm
210351	Coil spring set 29mm (medium) (8)	820059	Suspension mount spacer 0.2mm (10)	(820046)	Alum. spring retainer (lower type) (4)	(820060)	HT Alum. front lower arm set		

部品編號

110001	六角半圓頭螺絲 M3×6 (10)	110067	六角止付螺絲 M2.5×2.5 (6)	210058	HT 上擺臂	(210295)	XXX-R 鋁合金齒箱上蓋組	310048	擺臂插銷 2.5×46 (4)
110002	六角半圓頭螺絲 M3×8 (10)	110073	六角沉頭螺絲 M3×16 (10)	210060	KPI 輪座組	210321	插銷球頭 2.5×5 (8)	700003	5.5 & 7.0 鋁合金套筒工具 (紅)
110003	六角半圓頭螺絲 M2.5×6 (6)	120001	培林 10×15 (4)	210061	HT 上擺臂墊片	(210323)	XXX 鋁合金齒箱上蓋組 (HT-F)	810008	鋁合金強化可調拉桿 3×25 (紅) (2)
110004	六角半圓頭螺絲 M2×4 (6)	120002	培林 5×10 (4)	210069	輕量化傘齒組 34-18	210326	鋼製可調螺桿 3×3.5×20 (2)	810012	鋁合金強化可調拉桿 3×36 (紅) (2)
110005	六角沉頭螺絲 M3×8 (10)	120007	培林 8×14 (2)	210070	HT 後下擺臂(4孔) & 輪座	210343	球頭螺帽S 4.8 (4)	820005	鋼製大角度CVD傳動軸 44 (2)
110013	E扣 2.0 (10)	120011	培林 5×11 (4)	210121-1	傳動軸軸套 (4)	210344	球頭螺帽L 4.8 (4)	820012	墊片 3×5×0.1 (8)
110016	R銷 6.0 (10)	130002	O環 11.5×1.5 (4)	210151	鋁合金避震筒身 (4)	210351-2	軟避震彈簧 29mm (中) (綠) (2)	820018	墊片 5×7×0.1 (8)
110017	插銷 2×9.8 (10)	130004	避震氣室 (4)	210159	球頭螺絲 5.8×4 (4)	210378	寬形配重防撞板	820020	墊片 5×7×0.3 (8)
110021	防鬆螺帽 M3 (5)	130006	泡棉雙面膠 (5)	210161	球頭螺帽 4.8 (4)	210379	後防撞板	820021	墊片 8×10×0.1 (8)
110024	六角沉頭螺絲 M3×6 (10)	130007	天線管 (2)	210215	XXX 碳纖維二樓板 2.5	210380	XXX 碳纖維寬形前避震架	820022	墊片 10×12×0.1 (8)
110025	自攻六角半圓頭螺絲 2.6×10 (6)	130008	黑色油膏	210216	XXX 碳纖維電池座2.5	210381	車殼支柱組	820024	墊片 10×12×0.3 (8)
110026	六角半圓頭螺絲 M3×10 (10)	130009	避震油 #300	(210221)	XXX 鋁合金前單組 (後置)	210391	碳纖維泡棉壓板 L 2.5	(820026)	鋁墊片3×5.5×1.0 (5)
110029	六角半圓頭螺絲 M3×12 (6)	130021	泡棉 6.5×2 (10)	(210223)	XXX 鋁合金直軸組	210392	XXX 碳纖維底盤 (HT) 2.5	820027S	鋁墊片3×5.5×2.0 (銀) (5)
110035	六角止付螺絲 M3×3 (6)	130023	O環 P3 (黑) (10)	(210227)	XXX 鋁合金二樓板連結座	210393BK	XXX 固定式電池座支柱組	820030	連接軸 (2)
110039	六角有頭螺絲 M1.6×4 (10)	130028	阻尼器O環 P3 (藍) (10)	(210228)	XXX 鋁合金連結架	210396	XXX 鋁合金一體式接杯 S	820035	調整式拉桿頭組 5.8 (2)
110044	六角半圓頭螺絲 M2×6 (6)	130034	吸震泡棉 20×80×1 (4)	210229	XXX 鋁合金馬達座組	(210399)	XXX 鋁合金輕量化中傳軸	(820036)	鋁合金擺臂座 (-0.5)
110045	六角半圓頭螺絲 M2×8 (半牙) (6)	130035	L 板手組 (1.5 & 2.0 & 2.5)	210230	XXX 鋁合金大齒盤座	310001	內六角球頭 4.8×4.5 (5)	(820038)	鋁合金擺臂座 (+2.0)
110046	插銷 2×9.8 (剖溝) (8)	130039	寬形配重防撞泡棉	210232	鋁合金大轉向滑軌架	(310003)	避震器上蓋 (2)	(820044)	鋁合金六角輪座 4mm (4)
110047	墊片 3×6×0.5 (8)	164100B	MST 64P 大直齒 100T~106T	210235	避震器活塞墊片組	(310004)	避震器調整環 (2)	(820049)	輪座墊片 1.0 (4)
110048	墊片 3×8×0.5 (8)	~164106BK		210238	鋁合金中軸接杯 (2)	(310005)	避震器下蓋 (2)	(820054)	5.8 球頭機套
110049	六角半圓頭螺絲 M3×5 (10)	210025	傘齒組 40-16	(210257)	XXX-D PRO 鋁合金傘齒箱	310006	萬向接杯 (2)	820055	避震膠件維修包
110051	十字扁頭螺絲 M3×5 (5)	210032	伺服機舵片組 (23T/25T)	210261	XXX 碳纖維後避震架 (加寬)	310008	避震軸心 (4)	820066BK	鋁合金天線管座 (黑)
110054	六角止付螺絲 M3×8 (10)	210033	伺服機舵片組-長 (23T/25T)	(210272)	鋁合金拉桿扳手 4mm	310029	滑軌支柱 (2)	820074	輪框螺帽 M4 (4)
110063	六角半圓頭螺絲 M2×8 (6)	210037	滑軌滑輪墊片組	210273-4	避震彈簧 29mm (超軟) (白) (2)	310030	傘齒長軸	820075BK	R銷 5.0 (黑) (10)
110064	六角圓頭螺絲 M2.5×10 (6)	210047	強化拉桿頭組 4.8×18 (8)	210289	XXX 碳纖維直軸壓板 (A)	310046	擺臂插銷 2.5×20 (2)	(820076)	鋁合金短伺服機座組
110066	六角有頭螺絲 M1.6×6 (10)	210054	HT下擺臂	(210293)	XXX 可調式碳纖維電池壓板組	310047	擺臂插銷 2.0×22 (2)		

改裝品編號

210143	鋁合金六角輪座 6mm (煞車碟型)	210353	FXX 鋁合金滾珠差速器	(210277)	XXX 立式電池座組	(820048)	輪座墊片 0.5 (4)	(820063)	擺臂座墊片0.5mm (4)
210273	避震彈簧組 29mm (8)	210357	XXX-HT 後防傾桿組	(210308)	XXX 中單組RM	(820050)	鋁合金彈簧座 (4)	(820064)	HT 鋁合金後下擺臂組
210282	MST 後擾流板	820040	MST 配重塊 10g	(210354)	HT 鋁合金後輪座 (2)	(820053)	長度可調避震上蓋組 (4)	(820068)	3線鋁合金集線器
210288	XXX 強化式傘齒總成組	820041	MST 配重塊 30g	(820029)	KPI鋁合金輪座 (2)	(820057)	可調式鋁合金擺臂座 (-0.5--+1.0)	(820069)	4線鋁合金集線器
210288	XXX 強化式傘齒總成組	820047	MST 配重塊 3.5g (4)	(820043)	鋁合金六角輪座 5mm (4)	(820058)	可調式鋁合金擺臂座 (+1.5--+3.0)	(820073)	鋁合金馬達散熱墊片 3mm
210351	避震彈簧組 29mm (中) (8)	820059	擺臂座墊片 0.2mm (10)	(820046)	鋁合金彈簧座 (降低型) (4)	(820060)	HT 鋁合金前下擺臂組		

026067

Color 顏色	Remark 標示
Red 紅	R
Silver 銀	S